## AMENDMENTS TO THE CLAIMS

The following listing of claims replaces all prior versions, and listings, of claims in the application:

- 1. (Original) A light emitting heterostructure comprising:
  - a substrate;
  - a light generating structure formed over the substrate;
- a distributed semiconductor heterostructure Bragg reflector (DBR) structure formed over the light generating structure; and
  - a p-type layer formed over the DBR structure.
- 2. (Original) The heterostructure of claim 1, further comprising an electron blocking layer formed between the light generating structure and the DBR structure.
- 3. (Original) The heterostructure of claim 1, further comprising:
  - a buffer layer formed on the substrate; and
- a second layer formed on the buffer layer, wherein the light generating structure is formed on the second layer.
- 4. (Original) The heterostructure of claim 3, further comprising a contact layer formed on the second layer.

Serial No. 10/690,760

Page 2 of 7

5. (Original) Th	heterostructure of claim 1, further comprising a contact layer formed above the
DBR structure.	
	·
6. (Original) Th	e heterostructure of claim 5, further comprising a metal layer formed on the
contact layer.	

- 7. (Original) The heterostructure of claim 1, further comprising an anodized aluminum layer formed over the DBR structure.
- 8. (Original) The heterostructure of claim 7, wherein the anodized aluminum layer forms a photonic crystal.
- 9. (Original) The heterostructure of claim 1, further comprising a reflective layer formed over the DBR structure.
- 10. (Original) The heterostructure of claim 1, wherein the substrate comprises a transparent substrate.
- 11. (Original) A light emitting device comprising:

a substrate;

an n-type layer formed over the substrate;

a light generating structure formed over the n-type layer;

Serial No. 10/690,760

Page 3 of 7

a distributed semiconductor heterostructure Bragg reflector (DBR) structure formed over the light generating structure; and

a p-type layer formed over the DBR structure.

- 12. (Original) The device of claim 11, further comprising a reflective layer formed on the p-type layer.
- 13. (Original) The device of claim 12, further comprising a contact layer formed on the p-type layer, wherein the reflective layer and the contact layer form at least one of: a set of alternating stripes and a set of alternating squares.
- 14. (Original) The device of claim 11, further comprising:
  - a first contact formed on the n-type layer; and
  - a second contact formed above the p-type layer.
- 15. (Original) The device of claim 11, wherein the device comprises at least one of: a light emitting diode (LED), an ultraviolet LED, and a laser.
- 16. (Original) An ultraviolet light emitting heterostructure comprising:

an n-type layer;

a light generating structure formed over the n-type layer;

Serial No. 10/690,760

Page 4 of 7

a distribi	nted semiconductor heterostructure Bragg reflector (DBR) structure formed over
	·
the light generat	ing structure; and

a p-type layer formed over the DBR structure.

- 17. (Original) The heterostructure of claim 16, further comprising an anodized aluminum layer formed over the p-type layer.
- 18. (Original) The heterostructure of claim 17, wherein the anodized aluminum layer and the ptype layer include a set of holes that form a photonic crystal.
- 19. (Original) The heterostructure of claim 16, wherein the p-type layer includes a set of holes.
- 20. (Original) The heterostructure of claim 19, wherein at least some of the set of holes is filled with a material having a different refractive index than the p-type layer.
- 21. (New) The heterostructure of claim 16, further comprising a substrate, wherein the n-type layer formed over the substrate.
- 22. (New) The heterostructure of claim 1, further comprising an n-type layer formed over the substrate, wherein the light generating structure is formed over the n-type layer.

Serial No. 10/690,760

Page 5 of 7

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

| BLACK BORDERS
| IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
| FADED TEXT OR DRAWING
| BLURRED OR ILLEGIBLE TEXT OR DRAWING
| SKEWED/SLANTED IMAGES
| COLOR OR BLACK AND WHITE PHOTOGRAPHS
| GRAY SCALE DOCUMENTS
| LINES OR MARKS ON ORIGINAL DOCUMENT
| REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
| OTHER:

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.